



**BR**

**Butteruole**  
**Handnailers**  
**Bouterolles**  
**Nietkopfsetzeren**



**BR**

Butteruola > Handnailer  
Bouterolles > Nietkopfsetzeren



Pistone > Piston > Piston > Kolbe



**PR-5**

Gambo > Shank > Tige > Shaft Ø 2,5 mm  
Testa > Head > Tête > Kopf Ø 5,0 mm  
Rondella > Washer > Rondelle > Scheiben Ø 8,5 mm



**BR-REG**

Butteruola > Handnailer  
Bouterolles > Nietkopfsetzeren



**PREG**

Gambo > Shank > Tige > Shaft Ø 4,2 mm



**REG**

Spessore > High 0,6 mm  
Epaisseur > Dicke 0,6 mm

> **Materiale** > **Material** > **Matériel** > **Material**



CHIODO: Acciaio zincato bianco  
NAIL: White zinc plated steel  
CLOU: Acier zingué blanc  
NAGEL: Blau Verzinkter Stahl

**PR-5**



Zincatura elettrolitica, min. 5 micron  
Electrolytic galvanizing, min. 5 micron  
Zingage électrolytique, min. 5 micron  
Galvanisch Verzinkung, min. 5 micron

**PREG**



CHIODO: Acciaio brunito nero  
NAIL: Black oxidation steel  
CLOU: Acier oxidée noir  
NAGEL: Schwarz Oxidation Stahl

> **Applicazioni** > **Applications** > **Applications** > **Anwendungen**



Edilizia Civile Leggera  
Light Civil Construction  
Constr. Civile Légère  
Leicht Zivilbauwesen



Edilizia Industriale Leggera  
Light Industrial Construction  
Construction Industriel Légère  
Leicht Industriellbauwesen



Settore Elettrico Leggero  
Light Electricity Sector  
Secteur Electrique Légère  
Leicht Elektrischenwesen



Settore Idraulico e Lattineria  
Hydraulic and Tiling Sector  
Sect. Hydr. et Ferblanterie  
Leicht Hydraulikwesen und  
Blecharbeiten



Presenza d'acqua  
Water in place  
Eau sur place  
Wasser in Platz




Ambiente Urbano Medio  
Inquinamento  
Middle Pollution in Town  
Moyenne Pollution en Ville  
Mittel Stadtverschmutzung



Calcestruzzo C20/25  
Concrete C20/25  
Beton C20/25  
Beton C20/25



Legno  
Wood  
Bois  
Holz




Mattone pieno  
Solid brick and masonry  
Brique pleine et maçonnerie  
Vollmauerwerk



> **Dati tecnici** > **Technical data** > **Données techniques** > **Technische Angaben**


<b>L E G E N D</b>	L [mm]	Lunghezza gambo > Shank length > Longueur tige > Shaft Länge
	Ø [mm]	Diametro testa > Head diameter > Diamètre tête > Durchmesser Kopf
	Ø [mm]	Rondella plastica guida > Plastic washer guide > Rondelle plastique guide > Plastik Scheibe
	Ø [mm]	Rondella metallica > Metal washer > Rondelle métallique > Metal Scheibe
	Ø <sub>est</sub> [mm]	Diametro esterno > External diameter > Diamètre externe > Äussere Durchmesser
	Ø <sub>int</sub> [mm]	Diametro interno > Internal diameter > Diamètre interne > Innen Durchmesser
	Ø [mm]	Diametro inserto plastico > Plastic component diameter > Diamètre accessoire plastique > Plastikteile Durchmesser
	Ø [mm]	Diametro gabbietta > Ceiling support diameter > Diamètre cage > Käfig Durchmesser
	d x L [mm]	Filettatura diametro x lunghezza > Thread diameter x length > Filet diamètre x longueur > Gewinde Durchmesser x Länge
		Chiodatrice > P.A.Tool > Pisto > Gerät



**BR**




Pistone > Piston > Piston > Kolbe

CODICE CODE	ARTICOLO ITEM	LUNGHEZZA GAMBO SHANK LENGTH	DIAMETRO GAMBO SHANK DIAMETER	DIAMETRO TESTA CHIODO HEAD DIAMETER	DIAMETRO RONDELLA WASHER DIAMETER	
	<b>BR</b>	L [mm]	Ø mm	Ø mm	Ø mm	Nr.
090000	<b>BR Butteruola Tool</b>	-	-	-	-	1
090001	<b>Pistone Piston</b>	-	-	-	-	1

**PR - 5**



Gambo > Shank > Tige > Shaft Ø 2,5 mm  
 Testa > Head > Tête > Kopf Ø 5,0 mm  
 Rondella > Washer > Rondelle > Scheiben Ø 8,5 mm

CODICE CODE	ARTICOLO ITEM	LUNGHEZZA GAMBO SHANK LENGTH	DIAMETRO GAMBO SHANK DIAMETER	DIAMETRO TESTA CHIODO HEAD DIAMETER	DIAMETRO RONDELLA WASHER DIAMETER	
	<b>PR - 5</b>	L [mm]	Ø mm	Ø mm	Ø mm	Nr.
175015	<b>PR5/15</b>	13,5	2,5	5,0	8,5	500 / 5000
175020	<b>PR5/20</b>	18,5	2,5	5,0	8,5	500 / 5000
175025	<b>PR5/25</b>	23,5	2,5	5,0	8,5	500 / 5000
175030	<b>PR5/30</b>	28,5	2,5	5,0	8,5	100 / 1000
175035	<b>PR5/35</b>	33,5	2,5	5,0	8,5	100 / 1000

> **Caratteristiche** > **Characteristics** > **Caractéristiques** > **Eigenschaften**


- > Butteruola antinfortunio per chiodi a mano, completa di pistone.
- > Handnailer set for hand safety nails. Piston included.
- > Bouterolle de sécurité pour clous à main, avec piston. Montage frappé.
- > Unfallschutznietkopfsetzer für Handsicherheitsnieten, komplett mit Kolben.






## BR-REG



CODICE CODE	ARTICOLO ITEM	LUNGHEZZA GAMBO SHANK LENGTH	DIAMETRO GAMBO SHANK DIAMETER	DIAMETRO TESTA CHIODO HEAD DIAMETER	DIAMETRO RONDELLA WASHER DIAMETER	
	<b>BR-REG</b>	L [mm]	∅ mm	∅ mm	∅ mm	Nr.
179570	<b>BR-REG Butteruola Tool</b>	-	-	-	-	1





## PREG



CODICE CODE	ARTICOLO ITEM	LUNGHEZZA GAMBO SHANK LENGTH	DIAMETRO GAMBO SHANK DIAMETER	DIAMETRO TESTA CHIODO HEAD DIAMETER	DIAMETRO RONDELLA WASHER DIAMETER	
	<b>PREG</b>	L [mm]	∅ mm	∅ mm	∅ mm	Nr.
179574	<b>PREG 14</b>	14	4,2	-	-	200 / 2000
179578	<b>PREG 18</b>	18	4,2	-	-	200 / 2000
179582	<b>PREG 22</b>	22	4,2	-	-	200 / 2000

## REG



CODICE CODE	ARTICOLO ITEM	SPESSORE HIGH	LUNGHEZZA LENGTH	LARGHEZZA LARGE	
	<b>REG</b>	L [mm]	L [m]	L [mm]	Nr.
179590	<b>REG 17</b> 	0,6	10 m.	17	1
179594	<b>REG 17 L</b> 	0,6	25 m.	17	1
179591	<b>REG 25</b> 	1,0	10 m.	25	1
179592	<b>REG TX 16 tessuto textile</b>	-	10 m.	16	1